

# Package ‘chromoMap’

April 1, 2021

**Type** Package

**Title** Interactive Genomic Visualization of Biological Data

**Version** 0.3.1

**Maintainer** Lakshay Anand <lakshayanand15@gmail.com>

**Description** Provides interactive, configurable and elegant graphics visualization of the chromosomes or chromosome regions of any living organism allowing users to map chromosome elements (like genes, SNPs etc.) on the chromosome plot. It introduces a special plot viz. the “chromosome heatmap” that, in addition to mapping elements, can visualize the data associated with chromosome elements (like gene expression) in the form of heat colors which can be highly advantageous in the scientific interpretations and research work. Because of the large size of the chromosomes, it is impractical to visualize each element on the same plot. However, the plot provides a magnified view for each of chromosome locus to render additional information and visualization specific for that location. You can map thousands of genes and can view all mappings easily. Users can investigate the detailed information about the mappings (like gene names or total genes mapped on a location) or can view the magnified single or double stranded view of the chromosome at a location showing each mapped element in sequential order. The package provide multiple features like visualizing multiple sets, chromosome heatmaps, group annotations, adding hyperlinks, and labelling. The plots can be saved as HTML documents that can be customized and shared easily. In addition, you can include them in R Markdown or in R 'Shiny' applications.

**Depends** R (>= 4.0)

**License** GPL-3 | file LICENSE

**Encoding** UTF-8

**LazyData** false

**Imports** htmltools (>= 0.3.6), htmlwidgets (>= 1.0)

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Lakshay Anand [aut, cre]

**Repository** CRAN

**Date/Publication** 2021-04-01 14:30:06 UTC

## R topics documented:

chromoMap . . . . .	2
chromoMap-shiny . . . . .	6
<b>Index</b>	<b>8</b>

---

chromoMap	<i>render interactive chromosome plots of any living organism and annotate elements</i>
-----------	---

---

## Description

render an interactive graphics visualization of entire chromosomes or chromosomal regions of any living organism. Chromosomal elements such as genes can be annotated easily using this tool.

required for creating widgets

## Usage

```
chromoMap(
  ch.files,
  data.files,
  title = c(),
  ch_gap = 5,
  ploidy = 1,
  top_margin = 25,
  left_margin = 50,
  chr_width = 15,
  chr_length = 4,
  chr_color = c("black"),
  data_based_color_map = FALSE,
  segment_annotation = FALSE,
  lg_x = 0,
  lg_y = 0,
  data_type = c("numeric", "categorical"),
  labels = FALSE,
  canvas_width = 500,
```

```
canvas_height = 520,  
data_colors = list(),  
anno_col = c("#10B85F"),  
chr_text = c(TRUE),  
legend = c(FALSE),  
hlinks = FALSE,  
aggregate_func = c("avg"),  
plots = c("none"),  
tag_filter = list(c("none", 0)),  
plot_height = c(30),  
plot_ticks = c(4),  
plot_color = c("blue"),  
plot_y_domain = list(c(0, 0)),  
scatter.colors = NULL,  
scatter.lg_x = 0,  
scatter.lg_y = 0,  
ref_line = c(FALSE),  
refl_pos = c(0),  
refl_color = c("grey"),  
refl_stroke_w = c(2),  
tagColor = c("red"),  
heat_map = c(TRUE),  
text_font_size = c(10),  
chr_curve = 5,  
title_font_size = 12,  
label_font = 9,  
label_angle = -90,  
vertical_grid = FALSE,  
grid_array = c(0, 5000, 10000),  
grid_color = "grey",  
grid_text = NULL,  
grid_text_size = 12,  
grid_text_y = 20,  
plot_filter = list(c("none", 0)),  
id = c("chromap"),  
region = NULL,  
show.links = FALSE,  
loci_links = "none",  
directed.edges = F,  
y_chr_scale = 0,  
links.colors = NULL,  
links.lg_x = 0,  
links.lg_y = 0  
)
```

### Arguments

ch.files	filename(s) as character vector OR list of data.frames containing co-ordinates of the chromosomes to render
----------	---

<code>data.files</code>	filename(s) as character vector OR list of data.frames containing data to annotate on the chromosomes.
<code>title</code>	a character string to be used as a title in plot
<code>ch_gap</code>	provide spacing between chromosomes.
<code>ploidy</code>	specify the number of sets of chromosomes being passed.
<code>top_margin</code>	specify the margin from top of the plot
<code>left_margin</code>	specify the margin from the left of the plot
<code>chr_width</code>	specify the width of each chromosome
<code>chr_length</code>	specify the length of each chromosome.
<code>chr_color</code>	a vector specifying the color of each chromosome in a set. A color can be assigned to each set by passing a different color values as vector
<code>data_based_color_map</code>	a boolean to tell the plot to use the data provided in file for visualizing annotation
<code>segment_annotation</code>	a boolean to use segment-annotation algorithm
<code>lg_x</code>	specify the x or horizontal distance of the legend from origin(bottom right corner)
<code>lg_y</code>	specify the y or vertical distance of the legend from the origin
<code>data_type</code>	specifying the data type of the data used. takes value either 'categorical' or 'numeric'
<code>labels</code>	a boolean to include labels in plot
<code>canvas_width</code>	width of the plot
<code>canvas_height</code>	height of the plot
<code>data_colors</code>	specify annotation colors for the data
<code>anno_col</code>	a vector to specify annotation color for each set.
<code>chr_text</code>	a boolean vector to enable or disable chromosome texts for each ploidy.set
<code>legend</code>	a boolean vector to enable or disable legend for each set/ploidy
<code>hlinks</code>	a boolean to use hyperlinks supplied in data
<code>aggregate_func</code>	takes either 'sum' or 'avg' to specify aggregate function for each loci
<code>plots</code>	specify the type of plot to visualize. takes either 'scatter', 'bar' or 'tags'.(default: 'none')
<code>tag_filter</code>	a list to specify the filter operation and operands for each ploidy.
<code>plot_height</code>	specify plot height for each ploidy. default: c(30)
<code>plot_ticks</code>	specify number of ticks for plot axis. default: c(4)
<code>plot_color</code>	specify the plot color for each ploidy. default: c("blue")
<code>plot_y_domain</code>	specify plot y-axis domain. default: list(c(0,0))
<code>scatter.colors</code>	specify the group colors for visualizing categories on scatter plot
<code>scatter.lg_x</code>	specify the x or horizontal distance of scatter plot legend from the origin(bottom right corner)

<code>scatter.lg_y</code>	specify the y or vertical distance of scatter plot legend
<code>ref_line</code>	a boolean to use horizontal reference line in plot. default: <code>c(FALSE)</code>
<code>refl_pos</code>	specify the position of reference line. default: <code>c(0)</code>
<code>refl_color</code>	specify the color of the reference line. default: <code>c("grey")</code>
<code>refl_stroke_w</code>	specify the stroke width of the reference line. default: <code>c(2)</code>
<code>tagColor</code>	specify the color of tags. default: <code>c("red")</code>
<code>heat_map</code>	a boolean to use if chromosome heatmaps are shown. default: <code>c(TRUE)</code> ,
<code>text_font_size</code>	specify chromosome text font-size. default: <code>c(10)</code>
<code>chr_curve</code>	specify the chromosome curves at the telomeres or centromere loci. default:5
<code>title_font_size</code>	specify the font-size of the title. default:12
<code>label_font</code>	specify the font-size of the labels. default:9
<code>label_angle</code>	specify the angle of rotation of labels. default: -90
<code>vertical_grid</code>	a boolean to use vertical grid lines. default: FALSE
<code>grid_array</code>	specify the position(s) of grid line(s) in bp to highlight locations across genome. default: <code>c(0,5000,10000)</code>
<code>grid_color</code>	specify the color of the grid lines. default: "grey"
<code>grid_text</code>	specify the text to be attached at the top end of gridlines
<code>grid_text_size</code>	specify the font-size of the text
<code>grid_text_y</code>	specify the y-distance (from top) for the text
<code>plot_filter</code>	a list specify the plot filter operation, operands, and filter-color for each ploidy.
<code>id</code>	specify a unique id doe chromoMap plot. default: <code>c("chromap")</code>
<code>region</code>	specify the region of interest for chromosome(s) for zoom-in. Format: "chrName:Ploidy:Start:Stop"
<code>show.links</code>	a boolean to specify whether links are visualized. default: FALSE
<code>loci_links</code>	a character vector specifying file name or a data.frame for links input data
<code>directed.edges</code>	a boolean to visualize directed edges
<code>y_chr_scale</code>	adjust the chromosome scale along y-axis
<code>links.colors</code>	specify the links colors
<code>links.lg_x</code>	specify x or horizontal distance of links legend from the origin
<code>links.lg_y</code>	specify y or vertical distance of links

## Examples

```
## Not run:

library(chromoMap)

#simple annotations
chromoMap("chromosome_file.txt", "annotation_file.txt")

#polyploidy example
```

```

chromoMap(c("chromosome_set1.txt", "chromosome_set2.txt"),
          c("annotation_set1.txt", "annotation_set2.txt"), ploidy=2)

#plotting group annotation
chromoMap("chromosome_file.txt", "annotation_file.txt",
          data_base_color_map=T, data_type="categorical")

#plotting chromosome heatmaps
chromoMap("chromosome_file.txt", "annotation_file.txt",
          data_based_color_map=T, data_type="numeric")

#enabling hyperlinks
chromoMap("chromosome_file.txt", "annotation_file.txt", hlinks=T)

#enabling labels
chromoMap("chromosome_file.txt", "annotation_file.txt", labels=T)

#change chromosome color
chromoMap("chromosome_file.txt", "annotation_file.txt", chr_color="red")

## End(Not run)

```

---

chromoMap-shiny

*Shiny bindings for chromoMap*


---

## Description

Output and render functions for using chromoMap within Shiny applications and interactive Rmd documents.

## Usage

```
chromoMapOutput(outputId, width = "100%", height = "400px")
```

```
renderChromoMap(expr, env = parent.frame(), quoted = FALSE)
```

## Arguments

outputId	output variable to read from
width, height	Must be a valid CSS unit (like '100%', '400px', 'auto') or a number, which will be coerced to a string and have 'px' appended.
expr	An expression that generates a chromoMap
env	The environment in which to evaluate expr.

quoted

Is expr a quoted expression (with `quote()`)? This is useful if you want to save an expression in a variable.

# Index

`chromoMap`, [2](#)

`chromoMap-shiny`, [6](#)

`chromoMapOutput` (`chromoMap-shiny`), [6](#)

`renderChromoMap` (`chromoMap-shiny`), [6](#)