

# Package ‘ggip’

October 11, 2020

**Title** Data Visualization for IP Addresses and Networks

**Version** 0.2.0

**Description** A 'ggplot2' extension that enables visualization of IP (Internet Protocol) addresses and networks. The address space is mapped onto the Cartesian coordinate system using a space-filling curve. Offers full support for both IPv4 and IPv6 (Internet Protocol versions 4 and 6) address spaces.

**License** MIT + file LICENSE

**URL** <https://davidchall.github.io/ggip/>,  
<https://github.com/davidchall/ggip>

**BugReports** <https://github.com/davidchall/ggip/issues>

**Depends** ggplot2 (>= 3.3.0), ipaddress (>= 0.5.1), R (>= 3.3.0)

**Imports** dplyr (>= 1.0.0), glue, Rcpp, rlang (>= 0.4.2), tidyr, vctrs (>= 0.3.0)

**Suggests** knitr, rmarkdown, testthat

**LinkingTo** ipaddress, Rcpp

**VignetteBuilder** knitr

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

**SystemRequirements** C++11

**NeedsCompilation** yes

**Author** David Hall [aut, cre] (<<https://orcid.org/0000-0002-2193-0480>>)

**Maintainer** David Hall <[david.hall.physics@gmail.com](mailto:david.hall.physics@gmail.com)>

**Repository** CRAN

**Date/Publication** 2020-10-11 04:40:02 UTC

## R topics documented:

coord_ip . . . . .	2
geom_hilbert_outline . . . . .	4
ip_to_cartesian . . . . .	5
stat_summary_address . . . . .	7
theme_ip . . . . .	9

<b>Index</b>	<b>10</b>
--------------	-----------

---

coord_ip	<i>Coordinate system for IP data</i>
----------	--------------------------------------

---

### Description

A ggplot2 coordinate system that maps a range of IP address space onto a two-dimensional grid using a space-filling curve.

coord\_ip() forms the foundation of any ggplot. It translates all [ip\\_address](#) and [ip\\_network](#) vectors to Cartesian coordinates, ready for use by ggplot2 layers (see [Accessing Coordinates](#)). This ensures all layers use a common mapping.

### Usage

```
coord_ip(
  canvas_network = ip_network("0.0.0.0/0"),
  pixel_prefix = 16,
  curve = c("hilbert", "morton"),
  expand = FALSE
)
```

### Arguments

canvas_network	An <a href="#">ip_network</a> scalar that determines the region of IP space visualized by the entire 2D grid. The default shows the entire IPv4 address space.
pixel_prefix	An integer scalar that sets the prefix length of the network represented by a single pixel. The default value is 16. Increasing this effectively improves the resolution of the plot.
curve	A string to choose the space-filling curve. Choices are "hilbert" (default) and "morton".
expand	If TRUE, adds a small expanded margin around the data grid. The default is FALSE.

### Accessing Coordinates

coord\_ip() stores the result of the mapping in a nested data frame column. This means each [ip\\_address](#) or [ip\\_network](#) column in the original data set is converted to a data frame column. When specifying ggplot2 aesthetics, you'll need to use \$ to access the nested data (see [Examples](#)). Each [ip\\_address](#) column will be replaced with a data frame containing the following columns:

Column name	Data type	Description
ip	ip_address	Original IP data
x	integer	Pixel x
y	integer	Pixel y

Each `ip_network` column will be replaced with a data frame containing the following columns:

Column name	Data type	Description
ip	ip_network	Original IP data
xmin	integer	Bounding box xmin
ymin	integer	Bounding box ymin
xmax	integer	Bounding box xmax
ymax	integer	Bounding box ymax

### See Also

`vignette("visualizing-ip-data")` describes the mapping in more detail.

### Examples

```
suppressPackageStartupMessages(library(dplyr))

tibble(address = ip_address(c("0.0.0.0", "128.0.0.0", "192.168.0.1"))) %>%
  ggplot(aes(x = address$x, y = address$y, label = address$ip)) +
  geom_point() +
  geom_label(nudge_x = c(10, 0, -10), nudge_y = -10) +
  coord_ip(expand = TRUE) +
  theme_ip_light()

tibble(network = ip_network(c("0.0.0.0/8", "224.0.0.0/4"))) %>%
  mutate(
    start = network_address(network),
    end = broadcast_address(network)
  ) %>%
  ggplot() +
  geom_point(aes(x = start$x, y = start$y), color = "blue") +
  geom_point(aes(x = end$x, y = end$y), color = "red") +
  geom_rect(
    aes(xmin = network$xmin, xmax = network$xmax, ymin = network$ymin, ymax = network$ymax),
    alpha = 0.5, fill = "grey"
  ) +
  coord_ip(curve = "morton", expand = TRUE) +
  theme_ip_light()
```

---

geom\_hilbert\_outline *Hilbert curve outline*

---

### Description

Computes and draws the outline of the Hilbert curve used to map IP data to the Cartesian plane. By superimposing this outline on top of a ggplot, it guides the eye to regions that are close in IP address space.

### Usage

```
geom_hilbert_outline(
  mapping = NULL,
  data = NULL,
  ...,
  na.rm = FALSE,
  show.legend = NA,
  inherit.aes = TRUE
)
```

### Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code> ).
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

## Aesthetics

`geom_curve_outline()` understands the following aesthetics:

- `ip`: An `ip_network` column. By default, the entire Hilbert curve is shown.
- `curve_order`: How nested is the curve? (default: 3).
- `closed`: Should the curve outline have closed ends? (default: FALSE).
- `alpha`
- `colour`
- `linetype`
- `size`

## Computed variables

`x, y` The start coordinates for the segment

`xend, yend` The end coordinates for the segment

## Examples

```
p <- ggplot() + coord_ip() + theme_ip_light()

# default shows curve across entire canvas
p + geom_hilbert_outline()

# only show subnetwork
p + geom_hilbert_outline(ip = ip_network("128.0.0.0/2"))

# increased nesting
p + geom_hilbert_outline(curve_order = 4)

# show multiple networks
df <- data.frame(
  ip = ip_network(c("0.0.0.0/2", "128.0.0.0/4")),
  curve_order = c(4, 5),
  closed = c(FALSE, TRUE)
)
p + geom_hilbert_outline(
  aes(ip = ip, curve_order = curve_order, closed = closed),
  data = df
)
```

## Description

These functions are used internally by `coord_ip()` to map `ip_address` and `ip_network` vectors to Cartesian coordinates. They are exposed externally to support use of these coordinates outside of `ggplot2`.

## Usage

```
address_to_cartesian(  
  address,  
  canvas_network = ip_network("0.0.0.0/0"),  
  pixel_prefix = 16,  
  curve = c("hilbert", "morton")  
)  
  
network_to_cartesian(  
  network,  
  canvas_network = ip_network("0.0.0.0/0"),  
  pixel_prefix = 16,  
  curve = c("hilbert", "morton")  
)
```

## Arguments

address	An <a href="#">ip_address</a> vector
canvas_network	An <a href="#">ip_network</a> scalar that determines the region of IP space visualized by the entire 2D grid. The default shows the entire IPv4 address space.
pixel_prefix	An integer scalar that sets the prefix length of the network represented by a single pixel. The default value is 16. Increasing this effectively improves the resolution of the plot.
curve	A string to choose the space-filling curve. Choices are "hilbert" (default) and "morton".
network	An <a href="#">ip_network</a> vector

## Value

A data.frame containing columns:

- address\_to\_cartesian(): x and y
- network\_to\_cartesian(): xmin, ymin, xmax and ymax

## Examples

```
address_to_cartesian(ip_address("192.168.0.1"))  
  
network_to_cartesian(ip_network("224.0.0.0/4"))
```

---

stat\_summary\_address *Summarize IP addresses on a heatmap*

---

## Description

Addresses are grouped into networks determined by the `pixel_prefix` argument of `coord_ip()`. Then the `z` values are summarized with summary function `fun`.

## Usage

```
stat_summary_address(  
  mapping = NULL,  
  data = NULL,  
  ...,  
  fun = NULL,  
  fun.args = list(),  
  na.rm = FALSE,  
  show.legend = NA,  
  inherit.aes = TRUE  
)
```

## Arguments

<code>mapping</code>	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply <code>mapping</code> if there is no plot mapping.
<code>data</code>	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code> ).
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired <code>geom/stat</code> .
<code>fun</code>	Summary function (see section below for details). If <code>NULL</code> (the default), the observations are simply counted.
<code>fun.args</code>	A list of extra arguments to pass to <code>fun</code> .
<code>na.rm</code>	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.

<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

## Aesthetics

`stat_summary_address()` understands the following aesthetics (required aesthetics are in bold):

- **ip**: An `ip_address` column
- **z**: Value passed to the summary function (required if `fun` is used)
- **fill**: Default is `after_stat(value)`
- **alpha**

## Computed variables

The following variables are available to `after_stat()`:

- **value**: Value of summary statistic
- **count**: Number of observations

## Summary function

The data might contain multiple rows per pixel of the heatmap, so a summary function reduces this information to a single value to display. This function receives the data column specified by the `z` aesthetic and also receives arguments specified by `fun.args`.

The `fun` argument can be specified in multiple ways:

**NULL** If no summary function is provided, the number of observations is computed. In this case, you don't need to specify the `z` aesthetic, and the computed variables `value` and `count` will be equal.

**string** The name of an existing function (e.g. `fun = "mean"`).

**function** Either provide an existing function (e.g. `fun = mean`) or define a new function (e.g. `fun = function(x) sum(x^2)`).

**formula** A function can also be created from a formula. This uses `.x` as the summarized variable (e.g. `fun = ~ sum(.x^2)`).

## Examples

```
dat <- data.frame(
  ip = sample_ipv4(10000),
  weight = runif(10000)
)

p <- ggplot(dat, aes(ip = ip)) +
  coord_ip() +
```



```

theme_ip_light()

# simple count of observations
p +
  stat_summary_address() +
  scale_fill_viridis_c(trans = "log2", na.value = "black", guide = "none")

# compute mean weight
p +
  stat_summary_address(aes(z = weight), fun = ~ mean(.x)) +
  scale_fill_viridis_c(na.value = "black", guide = "none")

```

---

 theme\_ip

*Themes for IP data*


---

## Description

These set sensible defaults for plots generated by ggip. Use `ggplot2::theme()` if you want to tweak the results.

## Usage

```

theme_ip_light(base_size = 11, base_family = "")

theme_ip_dark(
  background_color = "black",
  text_color = "white",
  base_size = 11,
  base_family = ""
)

```

## Arguments

<code>base_size</code>	base font size, given in pts.
<code>base_family</code>	base font family
<code>background_color</code>	Background color
<code>text_color</code>	Text color

## Examples

```

p <- ggplot(data.frame(ip = ip_address("128.0.0.0"))) +
  geom_point(aes(x = ip$x, y = ip$y), color = "grey") +
  coord_ip()

p + theme_ip_light()

p + theme_ip_dark()

```

# Index

`address_to_cartesian (ip_to_cartesian),`  
    5  
`aes()`, 4, 7  
`aes_()`, 4, 7  
`after_stat()`, 8  
  
`borders()`, 4, 8  
  
`coord_ip`, 2  
`coord_ip()`, 5  
  
`fortify()`, 4, 7  
  
`geom_hilbert_outline`, 4  
`ggplot()`, 4, 7  
`ggplot2::theme()`, 9  
  
`ip_address`, 2, 5, 6, 8  
`ip_network`, 2, 3, 5, 6  
`ip_to_cartesian`, 5  
  
`layer()`, 4, 7  
  
`network_to_cartesian (ip_to_cartesian),`  
    5  
  
`stat_summary_address`, 7  
  
`theme_ip`, 9  
`theme_ip_dark (theme_ip)`, 9  
`theme_ip_light (theme_ip)`, 9