

# Package ‘pdp’

August 27, 2018

**Type** Package

**Title** Partial Dependence Plots

**Version** 0.7.0

**Description** A general framework for constructing partial dependence (i.e., marginal effect) plots from various types machine learning models in R.

**License** GPL (>= 2)

**URL** <https://bgreenwell.github.io/pdp/index.html>,  
<https://github.com/bgreenwell/pdp>

**BugReports** <https://github.com/bgreenwell/pdp/issues>

**Depends** R (>= 3.2.5)

**Suggests** adabag, AmesHousing, C50, caret, Cubist, doParallel, dplyr, e1071, earth, gbm, ipred, keras, kernlab, MASS, mda, nnet, party, partykit, progress, randomForest, ranger, rpart, testthat, xgboost (>= 0.6-0), knitr, rmarkdown, vip

**Imports** ggplot2 (>= 0.9.0), grDevices, gridExtra, lattice, magrittr, methods, mgcv, plyr, stats, viridis, utils

**LazyData** TRUE

**RoxygenNote** 6.1.0

**Encoding** UTF-8

**NeedsCompilation** yes

**Author** Brandon Greenwell [aut, cre] (<<https://orcid.org/0000-0002-8120-0084>>)

**Maintainer** Brandon Greenwell <[greenwell.brandon@gmail.com](mailto:greenwell.brandon@gmail.com)>

**Repository** CRAN

**Date/Publication** 2018-08-27 17:50:03 UTC

## R topics documented:

autoplot.partial . . . . .	2
boston . . . . .	4

partial . . . . .	5
pdp . . . . .	10
pima . . . . .	11
plotPartial . . . . .	12
progress_progress . . . . .	14
topPredictors . . . . .	14

<b>Index</b>	<b>16</b>
--------------	-----------

---

autoplot.partial	<i>Plotting Partial Dependence Functions</i>
------------------	--

---

## Description

Plots partial dependence functions (i.e., marginal effects) using [ggplot2](#) graphics.

## Usage

```
## S3 method for class 'partial'
autoplot(object, center = FALSE, plot.pdp = TRUE,
  pdp.color = "red", pdp.size = 1, pdp.linetype = 1, rug = FALSE,
  smooth = FALSE, smooth.method = "auto", smooth.formula = y ~ x,
  smooth.span = 0.75, smooth.method.args = list(), contour = FALSE,
  contour.color = "white", palette = c("viridis", "magma", "inferno",
  "plasma", "cividis"), train = NULL, xlab = NULL, ylab = NULL,
  main = NULL, legend.title = "yhat", ...)
```

```
## S3 method for class 'ice'
autoplot(object, center = FALSE, plot.pdp = TRUE,
  pdp.color = "red", pdp.size = 1, pdp.linetype = 1, rug = FALSE,
  train = NULL, xlab = NULL, ylab = NULL, main = NULL, ...)
```

```
## S3 method for class 'cice'
autoplot(object, plot.pdp = TRUE, pdp.color = "red",
  pdp.size = 1, pdp.linetype = 1, rug = FALSE, train = NULL,
  xlab = NULL, ylab = NULL, main = NULL, ...)
```

## Arguments

object	An object that inherits from the "partial" class.
center	Logical indicating whether or not to produce centered ICE curves (c-ICE curves). Only useful when object represents a set of ICE curves; see <a href="#">partial</a> for details. Default is FALSE.
plot.pdp	Logical indicating whether or not to plot the partial dependence function on top of the ICE curves. Default is TRUE.
pdp.color	Character string specifying the color to use for the partial dependence function when plot.pdp = TRUE. Default is "red".

pdp.size	Positive number specifying the line width to use for the partial dependence function when <code>plot.pdp = TRUE</code> . Default is 1.
pdp.linetype	Positive number specifying the line type to use for the partial dependence function when <code>plot.pdp = TRUE</code> . Default is 1.
rug	Logical indicating whether or not to include rug marks on the predictor axes. Default is FALSE.
smooth	Logical indicating whether or not to overlay a LOESS smooth. Default is FALSE.
smooth.method	Character string specifying the smoothing method (function) to use (e.g., "auto", "lm", "glm", "gam", "loess", or "r1m"). Default is "auto". See <a href="#">geom_smooth</a> for details.
smooth.formula	Formula to use in smoothing function (e.g., $y \sim x$ , $y \sim \text{poly}(x, 2)$ , or $y \sim \log(x)$ ).
smooth.span	Controls the amount of smoothing for the default loess smoother. Smaller numbers produce wigglier lines, larger numbers produce smoother lines. Default is 0.75.
smooth.method.args	List containing additional arguments to be passed on to the modeling function defined by <code>smooth.method</code> .
contour	Logical indicating whether or not to add contour lines to the level plot.
contour.color	Character string specifying the color to use for the contour lines when <code>contour = TRUE</code> . Default is "white".
palette	Character string indicating the colormap option to use. Five options are available: "viridis" (the default), "magma", "inferno", "plasma", and "cividis".
train	Data frame containing the original training data. Only required if <code>rug = TRUE</code> or <code>chull = TRUE</code> .
xlab	Character string specifying the text for the x-axis label.
ylab	Character string specifying the text for the y-axis label.
main	Character string specifying the text for the main title of the plot.
legend.title	Character string specifying the text for the legend title. Default is "yhat".
...	Additional optional arguments to be passed onto <code>geom_line</code> .

**Value**

A "ggplot" object.

**Examples**

```
## Not run:
#
# Regression example (requires randomForest package to run)
#

# Load required packages
library(ggplot2) # required to use autoplot
library(randomForest)
```

```

# Fit a random forest to the Boston housing data
data(boston) # load the boston housing data
set.seed(101) # for reproducibility
boston.rf <- randomForest(cmedv ~ ., data = boston)

# Partial dependence of cmedv on lstat
boston.rf %>%
  partial(pred.var = "lstat") %>%
  autoplot(rug = TRUE, train = boston)

# Partial dependence of cmedv on lstat and rm
boston.rf %>%
  partial(pred.var = c("lstat", "rm"), chull = TRUE, progress = "text") %>%
  autoplot(contour = TRUE, legend.title = "rm")

# ICE curves and c-ICE curves
age.ice <- partial(boston.rf, pred.var = "lstat", ice = TRUE)
grid.arrange(
  autoplot(age.ice, alpha = 0.5), # ICE curves
  autoplot(age.ice, center = TRUE, alpha = 0.5), # c-ICE curves
  ncol = 2
)

## End(Not run)

```

---

boston

*Boston Housing Data*


---

## Description

Data on median housing values from 506 census tracts in the suburbs of Boston from the 1970 census. This data frame is a corrected version of the original data by Harrison and Rubinfeld (1978) with additional spatial information. The data were taken directly from [BostonHousing2](#) and unneeded columns (i.e., name of town, census tract, and the uncorrected median home value) were removed.

## Usage

```
data(boston)
```

## Format

A data frame with 506 rows and 16 variables.

- lon Longitude of census tract.
- lat Latitude of census tract.
- cmedv Corrected median value of owner-occupied homes in USD 1000's
- crim Per capita crime rate by town.

- zn Proportion of residential land zoned for lots over 25,000 sq.ft.
- indus Proportion of non-retail business acres per town.
- chas Charles River dummy variable (= 1 if tract bounds river; 0 otherwise).
- nox Nitric oxides concentration (parts per 10 million).
- rm Average number of rooms per dwelling.
- age Proportion of owner-occupied units built prior to 1940.
- dis Weighted distances to five Boston employment centers.
- rad Index of accessibility to radial highways.
- tax Full-value property-tax rate per USD 10,000.
- ptratio Pupil-teacher ratio by town.
- b  $\$1000(B - 0.63)^2$  where B is the proportion of blacks by town.
- lstat Percentage of lower status of the population.

## References

Harrison, D. and Rubinfeld, D.L. (1978). Hedonic prices and the demand for clean air. *Journal of Environmental Economics and Management*, 5, 81-102.

Gilley, O.W., and R. Kelley Pace (1996). On the Harrison and Rubinfeld Data. *Journal of Environmental Economics and Management*, 31, 403-405.

Newman, D.J. & Hettich, S. & Blake, C.L. & Merz, C.J. (1998). UCI Repository of machine learning databases [<http://www.ics.uci.edu/~mllearn/MLRepository.html>] Irvine, CA: University of California, Department of Information and Computer Science.

Pace, R. Kelley, and O.W. Gilley (1997). Using the Spatial Configuration of the Data to Improve Estimation. *Journal of the Real Estate Finance and Economics*, 14, 333-340.

Friedrich Leisch & Evgenia Dimitriadou (2010). mlbench: Machine Learning Benchmark Problems. R package version 2.1-1.

## Examples

```
head(boston)
```

---

partial

*Partial Dependence Functions*

---

## Description

Compute partial dependence functions (i.e., marginal effects) for various model fitting objects.

**Usage**

```
partial(object, ...)

## Default S3 method:
partial(object, pred.var, pred.grid, pred.fun = NULL,
  grid.resolution = NULL, ice = FALSE, center = FALSE,
  quantiles = FALSE, probs = 1:9/10, trim.outliers = FALSE,
  type = c("auto", "regression", "classification"), inv.link = NULL,
  which.class = 1L, prob = FALSE, recursive = TRUE, plot = FALSE,
  plot.engine = c("lattice", "ggplot2"), smooth = FALSE, rug = FALSE,
  chull = FALSE, levelplot = TRUE, contour = FALSE,
  contour.color = "white", palette = c("viridis", "magma", "inferno",
  "plasma", "cividis"), alpha = 1, train, cats = NULL,
  check.class = TRUE, progress = "none", parallel = FALSE,
  paropts = NULL, ...)
```

**Arguments**

object	A fitted model object of appropriate class (e.g., "gbm", "lm", "randomForest", "train", etc.).
...	Additional optional arguments to be passed onto <a href="#">predict</a> .
pred.var	Character string giving the names of the predictor variables of interest. For reasons of computation/interpretation, this should include no more than three variables.
pred.grid	Data frame containing the joint values of interest for the variables listed in pred.var.
pred.fun	Optional prediction function that requires two arguments: object and newdata. If specified, then the function must return a single prediction or a vector of predictions (i.e., not a matrix or data frame). Default is NULL.
grid.resolution	Integer giving the number of equally spaced points to use for the continuous variables listed in pred.var when pred.grid is not supplied. If left NULL, it will default to the minimum between 51 and the number of unique data points for each of the continuous independent variables listed in pred.var.
ice	Logical indicating whether or not to compute individual conditional expectation (ICE) curves. Default is FALSE. See Goldstein et al. (2014) for details.
center	Logical indicating whether or not to produce centered ICE curves (c-ICE curves). Only used when ice = TRUE. Default is FALSE. See Goldstein et al. (2014) for details.
quantiles	Logical indicating whether or not to use the sample quantiles of the continuous predictors listed in pred.var. If quantiles = TRUE and grid.resolution = NULL the sample quantiles will be used to generate the grid of joint values for which the partial dependence is computed.
probs	Numeric vector of probabilities with values in [0,1]. (Values up to 2e-14 outside that range are accepted and moved to the nearby endpoint.) Default is

1:9/10 which corresponds to the deciles of the predictor variables. These specify which quantiles to use for the continuous predictors listed in `pred.var` when `quantiles = TRUE`.

<code>trim.outliers</code>	Logical indicating whether or not to trim off outliers from the continuous predictors listed in <code>pred.var</code> (using the simple boxplot method) before generating the grid of joint values for which the partial dependence is computed. Default is FALSE.
<code>type</code>	Character string specifying the type of supervised learning. Current options are "auto", "regression" or "classification". If <code>type = "auto"</code> then <code>partial</code> will try to extract the necessary information from object.
<code>inv.link</code>	Function specifying the transformation to be applied to the predictions before the partial dependence function is computed (experimental). Default is NULL (i.e., no transformation). This option is intended to be used for models that allow for non-Gaussian response variables (e.g., counts). For these models, predictions are not typically returned on the original response scale by default. For example, Poisson GBMs typically return predictions on the log scale. In this case setting <code>inv.link = exp</code> will return the partial dependence function on the response (i.e., raw count) scale.
<code>which.class</code>	Integer specifying which column of the matrix of predicted probabilities to use as the "focus" class. Default is to use the first class. Only used for classification problems (i.e., when <code>type = "classification"</code> ).
<code>prob</code>	Logical indicating whether or not partial dependence for classification problems should be returned on the probability scale, rather than the centered logit. If FALSE, the partial dependence function is on a scale similar to the logit. Default is FALSE.
<code>recursive</code>	Logical indicating whether or not to use the weighted tree traversal method described in Friedman (2001). This only applies to objects that inherit from class "gbm". Default is TRUE which is much faster than the exact brute force approach used for all other models. (Based on the C++ code behind <a href="#">plot.gbm</a> .)
<code>plot</code>	Logical indicating whether to return a data frame containing the partial dependence values (FALSE) or plot the partial dependence function directly (TRUE). Default is FALSE. See <a href="#">plotPartial</a> for plotting details.
<code>plot.engine</code>	Character string specifying which plotting engine to use whenever <code>plot = TRUE</code> . Options include "lattice" (default) or "ggplot2".
<code>smooth</code>	Logical indicating whether or not to overlay a LOESS smooth. Default is FALSE.
<code>rug</code>	Logical indicating whether or not to include a rug display on the predictor axes. The tick marks indicate the min/max and deciles of the predictor distributions. This helps reduce the risk of interpreting the partial dependence plot outside the region of the data (i.e., extrapolating). Only used when <code>plot = TRUE</code> . Default is FALSE.
<code>chull</code>	Logical indicating whether or not to restrict the values of the first two variables in <code>pred.var</code> to lie within the convex hull of their training values; this affects <code>pred.grid</code> . This helps reduce the risk of interpreting the partial dependence plot outside the region of the data (i.e., extrapolating). Default is FALSE.
<code>levelplot</code>	Logical indicating whether or not to use a false color level plot (TRUE) or a 3-D surface (FALSE). Default is TRUE.

<code>contour</code>	Logical indicating whether or not to add contour lines to the level plot. Only used when <code>levelplot = TRUE</code> . Default is <code>FALSE</code> .
<code>contour.color</code>	Character string specifying the color to use for the contour lines when <code>contour = TRUE</code> . Default is <code>"white"</code> .
<code>palette</code>	Character string indicating the colormap option to use. Five options are available: <code>"viridis"</code> (the default), <code>"magma"</code> , <code>"inferno"</code> , <code>"plasma"</code> , and <code>"cividis"</code> .
<code>alpha</code>	Numeric value in <code>[0, 1]</code> specifying the opacity alpha (most useful when plotting ICE/c-ICE curves). Default is 1 (i.e., no transparency). In fact, this option only affects ICE/c-ICE curves and level plots.
<code>train</code>	An optional data frame, matrix, or sparse matrix containing the original training data. This may be required depending on the class of object. For objects that do not store a copy of the original training data, this argument is required. For reasons discussed below, it is good practice to always specify this argument.
<code>cats</code>	Character string indicating which columns of <code>train</code> should be treated as categorical variables. Only used when <code>train</code> inherits from class <code>"matrix"</code> or <code>"dgMatrix"</code> .
<code>check.class</code>	Logical indicating whether or not to make sure each column in <code>pred.grid</code> has the correct class, levels, etc. Default is <code>TRUE</code> .
<code>progress</code>	Character string giving the name of the progress bar to use while constructing the partial dependence function. See <code>create_progress_bar</code> for details. Default is <code>"none"</code> .
<code>parallel</code>	Logical indicating whether or not to run <code>partial</code> in parallel using a backend provided by the <code>foreach</code> package. Default is <code>FALSE</code> .
<code>paropts</code>	List containing additional options to be passed onto <code>foreach</code> when <code>parallel = TRUE</code> .

### Value

By default, `partial` returns an object of class `c("data.frame", "partial")`. If `ice = TRUE` and `center = FALSE` then an object of class `c("data.frame", "ice")` is returned. If `ice = TRUE` and `center = TRUE` then an object of class `c("data.frame", "cice")` is returned. These three classes determine the behavior of the `plotPartial` function which is automatically called whenever `plot = TRUE`. Specifically, when `plot = TRUE`, a `"trellis"` object is returned (see `lattice` for details); the `"trellis"` object will also include an additional attribute, `"partial.data"`, containing the data displayed in the plot.

### Note

In some cases it is difficult for `partial` to extract the original training data from object. In these cases an error message is displayed requesting the user to supply the training data via the `train` argument in the call to `partial`. In most cases where `partial` can extract the required training data from object, it is taken from the same environment in which `partial` is called. Therefore, it is important to not change the training data used to construct object before calling `partial`. This problem is completely avoided when the training data are passed to the `train` argument in the call to `partial`.

It is recommended to call `partial` with `plot = FALSE` and store the results. This allows for more flexible plotting, and the user will not have to waste time calling `partial` again if the default plot is not sufficient.



It is possible to retrieve the last printed "trellis" object, such as those produced by `plotPartial`, using `trellis.last.object()`.

If `ice = TRUE` or the prediction function given to `pred.fun` returns a prediction for each observation in `newdata`, then the result will be a curve for each observation. These are called individual conditional expectation (ICE) curves; see Goldstein et al. (2015) and `ice` for details.

## References

J. H. Friedman. Greedy function approximation: A gradient boosting machine. *Annals of Statistics*, **29**: 1189-1232, 2001.

Goldstein, A., Kapelner, A., Bleich, J., and Pitkin, E., Peeking Inside the Black Box: Visualizing Statistical Learning With Plots of Individual Conditional Expectation. (2014) *Journal of Computational and Graphical Statistics*, **24**(1): 44-65, 2015.

## Examples

```
## Not run:
#
# Regression example (requires randomForest package to run)
#

# Fit a random forest to the boston housing data
library(randomForest)
data(boston) # load the boston housing data
set.seed(101) # for reproducibility
boston.rf <- randomForest(cmedv ~ ., data = boston)

# Using randomForest's partialPlot function
partialPlot(boston.rf, pred.data = boston, x.var = "lstat")

# Using pdp's partial function
head(partial(boston.rf, pred.var = "lstat")) # returns a data frame
partial(boston.rf, pred.var = "lstat", plot = TRUE, rug = TRUE)

# The partial function allows for multiple predictors
partial(boston.rf, pred.var = c("lstat", "rm"), grid.resolution = 40,
        plot = TRUE, chull = TRUE, progress = "text")

# The plotPartial function offers more flexible plotting
pd <- partial(boston.rf, pred.var = c("lstat", "rm"), grid.resolution = 40)
plotPartial(pd, levelplot = FALSE, zlab = "cmedv", drape = TRUE,
           colorkey = FALSE, screen = list(z = -20, x = -60))

# The autoplot function can be used to produce graphics based on ggplot2
library(ggplot2)
autoplot(pd, contour = TRUE, legend.title = "Partial\ndependence")

#
# Individual conditional expectation (ICE) curves
#
```

```

# Use partial to obtain ICE/c-ICE curves
rm.ice <- partial(boston.rf, pred.var = "rm", ice = TRUE)
plotPartial(rm.ice, rug = TRUE, train = boston, alpha = 0.2)
autoplot(rm.ice, center = TRUE, alpha = 0.2, rug = TRUE, train = boston)

#
# Classification example (requires randomForest package to run)
#

# Fit a random forest to the Pima Indians diabetes data
data(pima) # load the boston housing data
set.seed(102) # for reproducibility
pima.rf <- randomForest(diabetes ~ ., data = pima, na.action = na.omit)

# Partial dependence of positive test result on glucose (default logit scale)
partial(pima.rf, pred.var = "glucose", plot = TRUE, chull = TRUE,
        progress = "text")

# Partial dependence of positive test result on glucose (probability scale)
partial(pima.rf, pred.var = "glucose", prob = TRUE, plot = TRUE,
        chull = TRUE, progress = "text")

## End(Not run)

```

---

pdp

*pdp: A general framework for constructing partial dependence (i.e., marginal effect) plots from various types machine learning models in R.*

---

## Description

Partial dependence plots (PDPs) help visualize the relationship between a subset of the features (typically 1-3) and the response while accounting for the average effect of the other predictors in the model. They are particularly effective with black box models like random forests and support vector machines.

## Details

The development version can be found on GitHub: <https://github.com/bgreenwell/pdp>. As of right now, pdp exports four functions:

- `partial` - construct partial dependence functions (i.e., objects of class "partial") from various fitted model objects;
- `plotPartial` - plot partial dependence functions (i.e., objects of class "partial") using [lattice](#) graphics;
- `autoplot` - plot partial dependence functions (i.e., objects of class "partial") using [ggplot2](#) graphics;
- `topPredictors` - extract most "important" predictors from various types of fitted models.

---

pima

*Pima Indians Diabetes Data*

---

### Description

Diabetes test results collected by the the US National Institute of Diabetes and Digestive and Kidney Diseases from a population of women who were at least 21 years old, of Pima Indian heritage, and living near Phoenix, Arizona. The data were taken directly from [PimaIndiansDiabetes2](#).

### Usage

```
data(pima)
```

### Format

A data frame with 768 observations on 9 variables.

- pregnant Number of times pregnant.
- glucose Plasma glucose concentration (glucose tolerance test).
- pressure Diastolic blood pressure (mm Hg).
- triceps Triceps skin fold thickness (mm).
- insulin 2-Hour serum insulin (mu U/ml).
- mass Body mass index (weight in kg/(height in m)^2).
- pedigree Diabetes pedigree function.
- age Age (years).
- diabetes Factor indicating the diabetes test result (neg/pos).

### References

Newman, D.J. & Hettich, S. & Blake, C.L. & Merz, C.J. (1998). UCI Repository of machine learning databases [<http://www.ics.uci.edu/~mllearn/MLRepository.html>]. Irvine, CA: University of California, Department of Information and Computer Science.

Brian D. Ripley (1996), Pattern Recognition and Neural Networks, Cambridge University Press, Cambridge.

Grace Whaba, Chong Gu, Yuedong Wang, and Richard Chappell (1995), Soft Classification a.k.a. Risk Estimation via Penalized Log Likelihood and Smoothing Spline Analysis of Variance, in D. H. Wolpert (1995), The Mathematics of Generalization, 331-359, Addison-Wesley, Reading, MA.

Friedrich Leisch & Evgenia Dimitriadou (2010). mlbench: Machine Learning Benchmark Problems. R package version 2.1-1.

### Examples

```
head(pima)
```

plotPartial

*Plotting Partial Dependence Functions***Description**

Plots partial dependence functions (i.e., marginal effects) using [lattice](#) graphics.

**Usage**

```
plotPartial(object, ...)

## S3 method for class 'ice'
plotPartial(object, center = FALSE, plot.pdp = TRUE,
  pdp.col = "red2", pdp.lwd = 2, pdp.lty = 1, rug = FALSE,
  train = NULL, alpha = 1, ...)

## S3 method for class 'cice'
plotPartial(object, plot.pdp = TRUE, pdp.col = "red2",
  pdp.lwd = 2, pdp.lty = 1, rug = FALSE, train = NULL, alpha = 1,
  ...)

## S3 method for class 'partial'
plotPartial(object, center = FALSE, plot.pdp = TRUE,
  pdp.col = "red2", pdp.lwd = 2, pdp.lty = 1, smooth = FALSE,
  rug = FALSE, chull = FALSE, levelplot = TRUE, contour = FALSE,
  contour.color = "white", col.regions = NULL, palette = c("viridis",
  "magma", "inferno", "plasma", "cividis"), alpha = 1, number = 4,
  overlap = 0.1, train = NULL, ...)
```

**Arguments**

object	An object that inherits from the "partial" class.
...	Additional optional arguments to be passed onto dotplot, levelplot, xyplot, or wireframe.
center	Logical indicating whether or not to produce centered ICE curves (c-ICE curves). Only useful when object represents a set of ICE curves; see <a href="#">partial</a> for details. Default is FALSE.
plot.pdp	Logical indicating whether or not to plot the partial dependence function on top of the ICE curves. Default is TRUE.
pdp.col	Character string specifying the color to use for the partial dependence function when plot.pdp = TRUE. Default is "red".
pdp.lwd	Integer specifying the line width to use for the partial dependence function when plot.pdp = TRUE. Default is 1. See <a href="#">par</a> for more details.
pdp.lty	Integer or character string specifying the line type to use for the partial dependence function when plot.pdp = TRUE. Default is 1. See <a href="#">par</a> for more details.

rug	Logical indicating whether or not to include rug marks on the predictor axes. Default is FALSE.
train	Data frame containing the original training data. Only required if rug = TRUE or chull = TRUE.
alpha	Numeric value in $[0, 1]$ specifying the opacity alpha ( most useful when plotting ICE/c-ICE curves). Default is 1 (i.e., no transparency).
smooth	Logical indicating whether or not to overlay a LOESS smooth. Default is FALSE.
chull	Logical indicating whether or not to restrict the first two variables in pred.var to lie within the convex hull of their training values; this affects pred.grid. Default is FALSE.
levelplot	Logical indicating whether or not to use a false color level plot (TRUE) or a 3-D surface (FALSE). Default is TRUE.
contour	Logical indicating whether or not to add contour lines to the level plot. Only used when levelplot = TRUE. Default is FALSE.
contour.color	Character string specifying the color to use for the contour lines when contour = TRUE. Default is "white".
col.regions	Color vector to be used for trivariate displays. If levelplot is TRUE, defaults to the wonderful Matplotlib 'viridis' color map provided by the viridis package. See <a href="#">viridis</a> for details.
palette	Character string indicating the colormap option to use. Five options are available: "viridis" (the default), "magma", "inferno", "plasma", and "cividis".
number	Integer specifying the number of conditional intervals to use for the continuous panel variables. See <a href="#">co.intervals</a> and <a href="#">equal.count</a> for further details.
overlap	The fraction of overlap of the conditioning variables. See <a href="#">co.intervals</a> and <a href="#">equal.count</a> for further details.

## Examples

```
## Not run:
#
# Regression example (requires randomForest package to run)
#

# Load required packages
library(ggplot2) # required to use autoplot
library(randomForest)

# Fit a random forest to the Boston housing data
data(boston) # load the boston housing data
set.seed(101) # for reproducibility
boston.rf <- randomForest(cmedv ~ ., data = boston)

# Partial dependence of cmedv on lstat
boston.rf %>%
  partial(pred.var = "lstat") %>%
  plotPartial(rug = TRUE, train = boston)
```

```

# Partial dependence of cmedv on lstat and rm
boston.rf %>%
  partial(pred.var = c("lstat", "rm"), chull = TRUE, progress = "text") %>%
  plotPartial(contour = TRUE, legend.title = "rm")

# ICE curves and c-ICE curves
age.ice <- partial(boston.rf, pred.var = "lstat", ice = TRUE)
p1 <- plotPartial(age.ice, alpha = 0.5)
p2 <- plotPartial(age.ice, center = TRUE, alpha = 0.5)
grid.arrange(p1, p2, ncol = 2)

## End(Not run)

```

---

```

progress_progress      Progress bar

```

---

### Description

More informative progress bar powered by [progress\\_bar](#).

### Usage

```
progress_progress(...)
```

### Arguments

... Additional optional arguments to be passed onto [progress\\_bar](#).

---

```

topPredictors          Extract Most "Important" Predictors (Experimental)

```

---

### Description

Extract the most "important" predictors for regression and classification models.

### Usage

```
topPredictors(object, n = 1L, ...)
```

```
## Default S3 method:
topPredictors(object, n = 1L, ...)
```

```
## S3 method for class 'train'
topPredictors(object, n = 1L, ...)
```

**Arguments**

object	A fitted model object of appropriate class (e.g., "gbm", "lm", "randomForest", etc.).
n	Integer specifying the number of predictors to return. Default is 1 meaning return the single most important predictor.
...	Additional optional arguments to be passed onto <a href="#">varImp</a> .

**Details**

This function uses the generic function [varImp](#) to calculate variable importance scores for each predictor. After that, they are sorted at the names of the n highest scoring predictors are returned.

**Examples**

```
## Not run:
#
# Regression example (requires randomForest package to run)
#

Load required packages
library(ggplot2)
library(randomForest)

# Fit a random forest to the mtcars dataset
data(mtcars, package = "datasets")
set.seed(101)
mtcars.rf <- randomForest(mpg ~ ., data = mtcars, mtry = 5, importance = TRUE)

# Topfour predictors
top4 <- topPredictors(mtcars.rf, n = 4)

# Construct partial dependence functions for top four predictors
pd <- NULL
for (i in top4) {
  tmp <- partial(mtcars.rf, pred.var = i)
  names(tmp) <- c("x", "y")
  pd <- rbind(pd, cbind(tmp, predictor = i))
}

# Display partial dependence functions
ggplot(pd, aes(x, y)) +
  geom_line() +
  facet_wrap(~ predictor, scales = "free") +
  theme_bw() +
  ylab("mpg")

## End(Not run)
```

# Index

## \*Topic **datasets**

- boston, [4](#)
- pima, [11](#)

  

- autoplot.cice (autoplot.partial), [2](#)
- autoplot.ice (autoplot.partial), [2](#)
- autoplot.partial, [2](#)

  

- boston, [4](#)
- BostonHousing2, [4](#)

  

- co.intervals, [13](#)
- create\_progress\_bar, [8](#)

  

- equal.count, [13](#)

  

- foreach, [8](#)

  

- geom\_smooth, [3](#)
- ggplot2, [2](#), [10](#)

  

- ice, [9](#)

  

- lattice, [8](#), [10](#), [12](#)

  

- par, [12](#)
- partial, [2](#), [5](#), [12](#)
- pdp, [10](#)
- pdp-package (pdp), [10](#)
- pima, [11](#)
- PimaIndiansDiabetes2, [11](#)
- plot.gbm, [7](#)
- plotPartial, [7](#), [12](#)
- predict, [6](#)
- progress\_bar, [14](#)
- progress\_progress, [14](#)

  

- topPredictors, [14](#)

  

- varImp, [15](#)
- viridis, [13](#)